Product data sheet

Specifications





TeSys F - contactor coil - LX1FK -110...120 V AC 40...400 Hz

LX1FK110

(!) To be discontinued on: 31/12/2028

① To be discontinued

Main

Range	TeSys
Product Or Component Type	Contactor coil
Device Short Name	LX1FK
Range Compatibility	TeSys TeSys F LC1F contactor
Product Compatibility	LC1F500
Control Circuit Type	AC at 40400 Hz
[Uc] Control Circuit Voltage	110120 V AC 40400 Hz
Inductance Of Closed Circuit	1.25 H
Average Resistance	9.55 Ohm inrush at 20 °C 260 Ohm holding at 20 °C
Operating Time	100170 ms opening 4075 ms closing
Mechanical Durability	10 Mcycles
Maximum Operating Rate	2400 cyc/h 55 °C

Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Operational: 0.851.1 Uc 40400 Hz (at 55 °C) Drop-out: 0.30.5 Uc 40400 Hz (at 55 °C)
Inrush Power In Va	1100 VA 40400 Hz cos phi 0.9 (at 20 °C)
Hold-In Power Consumption In Va	18 VA 40400 Hz cos phi 0.3 (at 20 °C)
Heat Dissipation	18 W at 40400 Hz

Environment

Ambient Air Temperature For Operation	-555 °C
Net Weight	1.15 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.6 cm
Package 1 Width	11.5 cm

Package 1 Length	22.6 cm
Package 1 Weight	1.258 kg
Unit Type Of Package 2	S03
Number Of Units In Package 2	6
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	7.989 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information